

ALERDRAG® Shampoo

TOPICAL ANTI-ALLERGIC PRODUCT.



Indicated for treatment of allergic dermatitis symptoms, such as pruritus and inflammation.

Technical Specification

SPECIES

Dogs and cats.

DOSAGE FORM

Shampoo.

THERAPEUTIC ACTION

Topical anti-allergic product.

COMPOSITION

Each 100 mL contains:
Hydrocortisone Acetate.....0.5581 g
(Equivalent to 0.5 g of Hydrocortisone base)
Excipients q.s.p.....100 mL

INDICATIONS

Indicated for treatment of allergic dermatitis symptoms, such as pruritus and inflammation.

MODE OF APPLICATION

- Wet pet's coat thoroughly with abundant water.
- Apply Alerdrag in a sufficient amount.
- Massage and let stand in for 10 to 15 minutes and rinse with plenty of water.
- Repeat the bath 3 times per week, or according the instructions given by your Veterinarian Doctor.

DRUG INTERACTIONS

In case of prolonged therapy or in large areas of skin, avoid concomitant administration with Amphotericin B or caluuretic diuretics (Furosemide, Thiazides) as hypokalemia may occur; Cyclosporine because the blood levels of both drugs can be increased, with mutual inhibition of liver metabolism; with ulcerogenic drugs (eg non-steroidal anti-inflammatory drugs), since the risk of gastrointestinal ulceration may be increased. Patients treated with corticosteroids at immunosuppressive doses generally should not receive live attenuated virus vaccines, because viral replication may be enhanced.

CONTRAINDICATIONS

- Do not use in animals with purulent skin infections or open or very serious wounds.
- Do not administer to animals hypersensitive to Hydrocortisone, who have Cushing's Syndrome.
- Do not administer to animals younger than 7 months of age.
- Do not administer to pregnant or lactating females.

SPECIAL PRECAUTIONS FOR THE OPERATOR

- Avoid inhalation, ingestion or direct contact with the use of gloves and mask. Wash hands thoroughly after use.
- Do not handle by people hypersensitive to Hydrocortisone.
- Do not handle by pregnant women.

WARNINGS

Special warnings and precautions for use:

- Do not use this product without prior diagnosis.
- If irritation occurs, use should be discontinued.
- In case of bacterial, fungal or parasitic infections, the appropriate treatment must be given with a Veterinary Medical indication.
- External use.
- Keep out of the reach of children.

OBSERVATIONS

Special precautions for the disposal of unused product or waste material:

- Empty containers can be discarded as household waste, without any special precautions.
- Do not dispose of containers with product residues on the ground or water courses.
- For expired or unused products contact the manufacturer laboratory.

CONSERVATION

Store between 15 and 30 ° C, protected from light.

CONDITION OF SALE

To be supplied only on veterinary prescription.
For Peru: Free Sale

PRESENTATION

A bottle containing 150 mL

PREPARED BY

Drag Pharma Laboratory.

RECORDS

- Chile: Reg. SAG No. 0147
- Costa Rica: Reg. No.MAG CL4-45-04-4310
- El Salvador: VE2015105120
- Panama: Reg. No. RF-4182-08
- Bolivia Reg. SENASAG PUV-F-N° 006143/14
- Rep. Dominicana: Reg. N° 8669

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian