

# D-COMPLEX<sup>®</sup> Injectable solution

## VITAMINIC STRENGTHENING.



Vitamin B complex, general restorative. Appetite stimulant, neurobiotic, liver protector and lipotropic. Recommended in pictures of vitamin deficiency of the B complex; as support therapy in animals convalescing from parasitic, infectious or surgical diseases; in the treatment of neuritis, neuralgia and neuropathies in general. It is also recommended in states of higher nutritional requirement, such as: pregnancy, lactation, growth and sports training.

## Technical Specification

### SPECIES

Horses.

### DOSAGE FORM

Injectable solution.

### THERAPEUTIC ACTION

Vitaminic strengthening.

### COMPOSITION

Each mL contains:

Thiamine Hydrochloride .....	150 mg
Riboflavin 5-Sodium phosphate.....	2 mg
Pyridoxine Hydrochloride.....	10 mg
Nicotinamide.....	150 mg
D-panthenol.....	10 mg
Choline Chloride.....	20 mg
Inositol.....	20 mg
Excipients q.s.p.....	1 mL

### INDICATIONS

Vitamin B complex, general restorative. Appetite stimulant, neurobiotic, liver protector and lipotropic. Recommended in pictures of vitamin deficiency of the B complex; as support therapy in animals convalescing from parasitic, infectious or surgical diseases; in the treatment of neuritis, neuralgia and neuropathies in general. It is also recommended in states of higher nutritional requirement, such as: pregnancy, lactation, growth and sports training.

### ROUTE OF ADMINISTRATION AND DOSAGE

**Administration route:** Intramuscular o intravenous slowly.

**Product dose:**

5 mL per animal, once a week for up to 4 weeks.

**DRUG INTERACTIONS**

---

Thiamine can enhance the activity of neuromuscular blocking agents; its clinical significance is unknown

**CONTRAINDICATIONS**

---

Do not use in animals with hypersensitivity to thiamine administered parenterally, because of the risk of anaphylactic shock.

**SPECIAL PRECAUTIONS FOR USE**

---

- An anaphylactic reaction may occur in individuals who are hypersensitive to parenteral Thiamine; possible risk of anaphylactic shock.
- Keep out of the reach of children.

**SPECIAL PRECAUTIONS FOR THE OPERATOR**

---

- Do not handle by people who are hypersensitive to Thiamine or any of its components.
- In case of contact with skin, eyes or mucous membranes, wash immediately with plenty of water.
- In case of accidental injection, go immediately to a medical center and show the product label.

**GUARD PERIOD**

---

Zero (0) days.

**OBSERVATIONS**

---

**Special precautions for disposing of unused product or waste material:**

Empty containers can be disposed of as household waste, without any special precautions. Do not dispose of containers with product remains on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

**CONSERVATION**

---

Store in a cool and dry place, at room temperature between 15° y 30°C, protected from sunlight.

**CONDITION OF SALE**

---

To be supply only on veterinary prescription.

**PRESENTATION**

---

100 mL vial

**PREPARED BY**

---

Drag Pharma Laboratory.

**RECORDS**

---

Chile: Reg. SAG No. 1588

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian