METAMIZOL SÓDICO (DIPIRONA) - Injectable Solution

ANALGESIC - ANTI-INFLAMMATORY - ANTIPYRETIC.



Analgesic, anti-inflammatory and antipyretic.

Technical Specification

SPECIES

Bovine, horses, pigs, sheep, goats and cats.

DOSAGE FORM

Injectable solution.

THERAPEUTIC ACTION

Analgesic - Anti-inflammatory - Antipyretic.

COMPOSITION

Each 100 mL contains.

Metamizole Sodium...... 50 g

Excipients q.s.p.....100 mL

INDICATIONS

Analgesic, anti-inflammatory and antipyretic.

ROUTE OD ADMINISTRATION AND DOSAGE

Slow intramuscular or intravenous administration.

• Bovine and horses: 20 mL/400 Kg

Foals: 10 mL/150 KgPigs: 5 mL/100 KgDogs: 0.4 mL/10 Kg

Cats. 0.2 mL/5 Kg

Repeat the dose 2 to 3 times a day.

CONTRAINDICATIONS

- Do not use in conjunction with chlorpromazine, barbiturates and/or Phenylbutazone.
- Do not use in animals with a history of blood dyscrasias.

SPECIAL PRECAUTIONS FOR USE

- The application of the product for long periods of time, requires periodic evaluations of the patient.
- Metamizole overdose may cause convulsive events.
- Use with caution in aged animals and/or animals with cardiovascular diseases.
- Metamizole Sodium may tend to increase the likelihood of bleeding, due to suppression in the prothrombin formation.

WARNINGS

- · Keep out of reach of children.
- In competition animals, use only 5 days before the competition.
- Subcutaneous administration can cause irritation in the injection site.

GUARD PERIOD

Meat: Bovine, sheep and pigs: 35 days.

Horses: Do not administer to horses which meat is intended for human consumption.

Milk: Do not administer to animals which milk is intended for human consumption.

CONSERVATION

Store between 15 and 30 °C, protected from light. Once the container is opened, use within 28 days. Discard unused product after that period of time.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

Ampule vial with 50 mL

PREPARED BY

Drag Pharma Laboratory.

RECORDS

Chile: Reg. SAG No. 0528Panama: Reg. No. RF-3901-07

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian