

ENDOFACIOL[®] BOVINE - Oral Suspension

BROAD SPECTRUM INTERNAL ANTIPARASITIC
ORAL FASCIOLICIDE



Indicated in the treatment and control of *Fasciola hepatica* in its immature, juvenile and adult state; gastrointestinal and lung parasites, in their adult and larval stages in bovines. In ruminants it is active against inhibited larvae of *Ostertagia spp.*

Technical Specification

SPECIES

Bovine.

DOSAGE FORM

Oral suspension.

THERAPEUTIC ACTION

Broad spectrum internal antiparasitic
Oral fasciolicide

COMPOSITION

Each 100 mL of suspension contains:
Ivermectin.....0.2 g
Triclabendazole.....12 g
Excipients q.s.p.....100 mL

INDICATIONS

Indicated in the treatment and control of *Fasciola hepatica* in its immature, juvenile and adult state; gastrointestinal and lung parasites, in their adult and larval stages in bovines. In ruminants it is active against inhibited larvae of *Ostertagia spp.*

ROUTE OF ADMINISTRATION AND DOSAGE

Administer orally, using a syringe or dosing gun.

Active ingredients dose:

- Ivermectin: 0.2 mg/Kg of weight.

- Triclabendazole: 12 mg/Kg of weight.

Product dose:

10 mL for each 100 kg of weight.

DRUG INTERACTIONS

Do not use concomitantly with other pharmaceuticals.

CONTRAINDICATIONS

Do not administer to animals with known hypersensitivity to ivermectins.

SPECIAL PRECAUTIONS FOR THE OPERATOR

Avoid contact of the product with the skin and eyes. In case of contact, wash immediately with plenty of water. If irritation exists and persists, see a doctor. Wash your hands after handling the product.

WARNINGS

Keep out of reach of children.

GUARD PERIOD

Meat: 49 days.

Do not administer to cows which milk is intended for human consumption.

OBSERVATIONS

Shake before use.

Special precautions for the disposal of unused product or waste material:

Dispose of this product with caution with household waste. Do not dispose of containers with product residues on the ground or water courses. For expired or unused products, contact the manufacturing laboratory.

CONSERVATION

Store between 15 ° and 30 ° C, protected from light. Once the container is opened, use within 12 weeks. Discard the unused product after that period of time.

CONDITION OF SALE

To be supply only on veterinary prescription.

PRESENTATION

100 mL, 250 mL, 1 L and 2 L bottles.

PREPARED BY

Drag Pharma Laboratory.

RECORDS

Chile: Reg. SAG No. 1712-B
Rep. Dominicana: Reg. Nº 7724

You have entered drug info or veterinary products intended exclusively (s) kind (s) indicated (s).

Drag Pharma Lab is not responsible for the consequences of misuse of the products, and the use of this information without consulting a veterinarian